



University of California Hastings College of the Law

Developer Reference

Table of Contents

Overview	8
Components.....	8
Banner Bank.....	8
Events Listing	8
Feature.....	8
Filtered News	9
News Listing	9
SPIF Bank - Multi-Purpose.....	9
SPIF Bank – RSS Feed	10
SPIFF Bank - Slideshow.....	10
SPIFF Bank - Standard	10
Asset Factories.....	11
Templates	12
Components.....	12
Banner Bank.....	12
Events Listing	13
Feature.....	14
Filtered News.....	16
Include Snippet	16
News Listing.....	16
SPIF Bank – Multi-purpose.....	18
SPIF Bank – RSS Feed	19
SPIF Bank – Slideshow.....	20
SPIF Bank – Standard	22
Page Types	23
Centers Home v1	23
Centers Home v2	24
Centers Landing.....	26
Columns	27
Gateway.....	28
Home Page.....	30
News Article.....	31
News Listing	33
Universal	35

Global.....	36
Include	36
XML Support	37
XML – Dev View	37
Data Definitions	38
Components.....	38
Banner Bank.....	38
Events Listing	38
Feature.....	38
Filtered News.....	38
News Listing	38
SPIF Bank – Multi-purpose.....	39
SPIF Bank – RSS Feed	39
SPIF Bank – Slideshow.....	39
SPIF Bank – Standard	39
Global.....	39
Alert	39
Navigation - Footer	39
Navigation - Primary	40
Navigation - Tactical	40
Page Types	40
Centers Home v1	40
Centers Home v2	40
Centers Landing	41
Columns	41
Gateway.....	42
Home Page.....	42
News Article.....	43
News Listing	43
Universal	44
Blocks.....	45
Feed	45
Index	45
Alert	45
Content Review – All Pages	45

Current Page	46
Navigation – Ancestors	47
Navigation – Contextual	48
Navigation – Contextual News.....	48
Navigation – Footer	49
Navigation – News Listing.....	50
Navigation – Primary	51
Navigation – Tactical.....	51
Text	52
Site – Head.....	52
Site – Navigation Mobile.....	52
Site – Navigation Mobile Centers	52
Site – Scripts	52
XHTML.....	53
Search Results.....	53
Sharing – News	53
XML	53
Formats (XSLT)	54
Components.....	54
Banner Bank.....	54
Content Review.....	54
Events Listing	54
Events Listing – Shared	54
Feature.....	54
Feature – Shared.....	54
Filtered News.....	54
Gateway Feature	54
News Listing	55
News Listing - Home	55
News Listing – Shared.....	55
Site Feature.....	55
SPIF Bank – Multi-Purpose.....	55
SPIF Bank – Multi-Purpose – Shared.....	55
SPIF Bank – RSS Feed	55
SPIF Bank – RSS Feed – Shared	55

SPIF Bank – Slideshow.....	56
SPIF Bank – Slideshow – Shared.....	56
SPIF Bank – Standard	56
SPIF Bank – Standard – Shared	56
Twitter Feed.....	56
Included Helpers	56
Code Variables	56
Date Format.....	56
Related Links.....	56
Replace Strings.....	57
Navigation	57
Navigation – Ancestors	57
Navigation – Ancestors - Centers.....	57
Navigation – Contextual	57
Navigation – Contextual Mobile	57
Navigation – Contextual News.....	57
Navigation – Footer	57
Navigation – Footer Centers	58
Navigation – Primary	58
Navigation – Primary Centers	58
Navigation – Related.....	58
Navigation – Related Home	58
Navigation – Related Mobile	58
Navigation – Tactical.....	58
News Listing Column.....	59
Page Content.....	59
Article Content.....	59
Columns Content	59
Gateway Column – Special	59
Gateway Columns	59
Inline Intruder	59
Inline Intruder - Article	59
Page Content	60
Page Layout – Centers	60
Page Title	60

Page Title – Centers	60
References	60
Alert – Reference	60
Banner Bank - Reference	60
Body Components – Reference	60
Centers Column Components – Blocks	60
Center Column Components – Reference	60
Centers Feature – Reference	60
Gateway Feature Column Components – Reference.....	60
Home Events – Reference.....	61
Home Feature – Reference	61
Home Tertiary Column Components – Reference	61
Navigation Mobile – Reference	61
Navigation Primary – Reference	61
Secondary Column Components – Reference	61
Small Feature – Reference	61
Tertiary Column Components.....	61
XML Support	61
XML – Dev View	61
CSS	62
App.....	62
Centers Flipped	62
Centers Wide	62
Colobox.....	62
Foundation.....	62
Foundation Light.....	62
Global.....	62
IE	62
Thickbox.....	62
Scripts	64
App.....	64
Date	64
Foundation.....	64
Global.....	64
Hover Intent.....	64

Colorbox.....	64
Dropdown.....	64
jQuery.....	64
RSS.....	65
RSS Events.....	65
Simple Weather.....	65
Table Sorter.....	65
Tools.....	65
Tweet.....	65
Mobile Accordion.....	65
Modernizr.....	65
Thickbox.....	65

Overview

This document provides an overview of pages and components within the Cascade Server CMS for the <http://www.uchastings.edu/> website. The focus is on the assets created in the CMS specifically for this site and what each asset references (regions, data definitions, script files, styling, etc.).

Components

Banner Bank

Location: Asset Factories/components/banner bank

Purpose: Each banner bank component allows the editor to create multiple instances of a single banner. This Banner Bank is then connected to any number of pages within the system. Internal to the system, XSLT displays the first matching reference. External to the system, a single random banner is selected and displayed within the page view during each refresh.

Configuration:

- **Base Asset:** __development/base assets/components/bannerBank/bannerBank
- **Placement Folder:** _components/bannerBanks
- **Subfolder Placement:** Does not allow subfolder placement

Events Listing

Location: Asset Factories/components/events listing

Purpose: The Events Listing allows for any standard, well-formatted RSS feed to be pulled in for rendering across multiple page types.

Configuration:

- **Base Asset:** __development/base assets/components/eventsListing/eventsListing
- **Placement Folder:** __development/base assets/components/eventsListing/eventsListing
- **Subfolder Placement:** Does not allow subfolder placement

Feature

Location: Asset Factories/components/feature

Purpose: The Feature component can be included across selected page types such as the Home Page and Centers Home in order to display pictures, text, and in certain cases links and a video overlay.

Configuration:

- **Base Asset:** __development/base assets/components/feature/feature
- **Placement Folder:** _components/features
- **Subfolder Placement:** Allows subfolder placement

Filtered News

Location: Asset Factories/components/filtered news

Purpose: The Filtered Events Feed binds a full events listing with XSL that filters the results based on matching taxonomy/categories supplied by the editor. This feed is then published out and can be included across multiple page types for a filtered list. Because it is utilizing XML, as new events are added within the system, the bank and supporting event must be published... not every page referencing the filtered events list feed.

Configuration:

- **Base Asset:** __development/base assets/components/filteredNews/filteredNews
- **Placement Folder:** _components/filteredNews
- **Subfolder Placement:** Does not allow subfolder placement

News Listing

Location: Asset Factories/components/news listing

Purpose: The News Listing is intended to supply the latest news articles to news listings page types. Although this component can be adjusted to grab from any specified news block, it is recommended that news articles remain in a central repository and Filtered News components are used for content reuse purposes.

Configuration:

- **Base Asset:** __development/base assets/components/newsListing/newsListing
- **Placement Folder:** __development/base assets/components/newsListing/newsListing
- **Subfolder Placement:** Does not allow subfolder placement

SPIF Bank - Multi-Purpose

Location: Asset Factories/components/spif bank - multi-purpose

Purpose: The Multi-Purpose SPIF is included in multiple page types and will display a block containing a formatted rich text block allowing randomized content that displays in a pre-defined style and location.

Configuration:

- **Base Asset:** __development/base assets/components/spifBankMultiPurpose/spifBankMultiPurpose
- **Placement Folder:** _components/spifBanks/spifBanksMultiPurpose
- **Subfolder Placement:** Allows subfolder placement

SPIF Bank – RSS Feed

Location: Asset Factories/components/spif bank - rss feed

Purpose: The RSS SPIF is included in multiple page types and will display a block containing a sliding display of items contained in a specified RSS feed.

Configuration:

- **Base Asset:** __development/base assets/components/spifBankRSSFeed/spifBankRSSFeed
- **Placement Folder:** _components/spifBanks/spifBanksRSSFeed
- **Subfolder Placement:** Allows subfolder placement

SPIFF Bank - Slideshow

Location: Asset Factories/components/spif bank - slideshow

Purpose: The Slideshow SPIF is included in multiple page types and will display a block containing a single image with a caption. Upon clicking on the image/caption, a slideshow will overlay on top of the current page allowing the end user to view the specified images.

Configuration:

- **Base Asset:** __development/base assets/components/spifBankSlideshow/spifBankSlideshow
- **Placement Folder:** _components/spifBanks/spifBanksSlideshow
- **Subfolder Placement:** Allows subfolder placement

SPIFF Bank - Standard

Location: Asset Factories/components/spif bank - standard

Purpose: The Standard SPIF is included in multiple page types and will display a block that randomly displays preformatted information.

Configuration:

- **Base Asset:** __development/base assets/components/spifBankStandard/spifBankStandard
- **Placement Folder:** _components/spifBanks/spifBanksStandard
- **Subfolder Placement:** Allows subfolder placement

Asset Factories

- Components
 - Banner Bank
 - Events Listing
 - Feature
 - Filtered News
 - News Listing
 - SPIF Bank – Multi-purpose
 - SPIF Bank – RSS Feed
 - SPIF Bank – Slideshow
 - SPIF Bank – Standard
- Default
 - Block
 - External Link
 - File
 - Folder
 - Format
 - Page
 - Template
- Files
 - Banner Image
 - Document
 - Image
 - PDF
- Folder Structures
 - News Article Year and Months
- Page Types
 - Folder with Centers Home v1 Page
 - Folder with Centers Home v2 Page
 - Folder with Centers Landing Page
 - Folder with Columns Page
 - Folder with Gateway Page
 - Folder with News Listing Page
 - Folder with Universal Page
 - Home Page
 - News Article
 - Universal Page

Templates

Components

Banner Bank

Region Name	Block	Format
bannerBank	None applied	None applied
columnComponents	None applied	None applied
columnSecondary	None applied	None applied
default	None applied	None applied
navigationAncestors	_development/blocks/index/navigation - ancestors	_development/formats - XSLT/navigation/navigation - ancestors
navigationContextual	_development/blocks/index/navigation - contextual	_development/formats - XSLT/navigation/navigation - contextual
navigationContextualMobile	None applied	None applied
navigationMobile	None applied	None applied
navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary
navigationRelated	_development/blocks/index/current page	_development/formats - XSLT/navigation/navigation - related
navigationRelatedMobile	None applied	None applied
navigationTactical	_development/blocks/index/navigation - tactical	_development/formats - XSLT/navigation/navigation - tactical
pageContent	_development/blocks/index/current page	_development/formats - XSLT/components/banner

		bank
pageHead	None applied	None applied
pageInlinelImage	None applied	None applied
pageScripts	None applied	None applied
pageTitle	None applied	None applied
siteFooter	_development/blocks/index/navigation - footer	_development/formats - XSLT/navigation/navigation - footer
siteHead	_development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	_development/blocks/text/site - scripts	None applied

Events Listing

Region Name	Block	Format
bannerBank	None applied	None applied
columnComponents	None applied	None applied
columnSecondary	None applied	None applied
default	None applied	None applied
navigationAncestors	_development/blocks/index/navigation - ancestors	_development/formats - XSLT/navigation/navigation - ancestors
navigationContextual	_development/blocks/index/navigation - contextual	_development/formats - XSLT/navigation/navigation - contextual
navigationContextualMobile	None applied	None applied
navigationMobile	None applied	None applied

navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary
navigationRelated	_development/blocks/index/current page	_development/formats - XSLT/navigation/navigation - related
navigationRelatedMobile	None applied	None applied
navigationTactical	_development/blocks/index/navigation - tactical	_development/formats - XSLT/navigation/navigation - tactical
pageContent	_development/blocks/index/current page	_development/formats - XSLT/components/events listing
pageHead	None applied	None applied
pageInlineImage	None applied	None applied
pageScripts	None applied	None applied
pageTitle	None applied	None applied
siteFooter	_development/blocks/index/navigation - footer	_development/formats - XSLT/navigation/navigation - footer
siteHead	_development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	_development/blocks/text/site - scripts	None applied

Feature

Region Name	Block	Format
bannerBank	None applied	None applied
columnComponents	None applied	None applied

columnSecondary	None applied	None applied
default	None applied	None applied
navigationAncestors	_development/blocks/index/navigation - ancestors	_development/formats - XSLT/navigation/navigation - ancestors
navigationContextual	_development/blocks/index/navigation - contextual	_development/formats - XSLT/navigation/navigation - contextual
navigationContextualMobile	None applied	None applied
navigationMobile	None applied	None applied
navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary
navigationRelated	_development/blocks/index/current page	_development/formats - XSLT/navigation/navigation - related
navigationRelatedMobile	None applied	None applied
navigationTactical	_development/blocks/index/navigation - tactical	_development/formats - XSLT/navigation/navigation - tactical
pageContent	_development/blocks/index/current page	_development/formats - XSLT/components/spif bank - standard
pageHead	None applied	None applied
pageInlinImage	None applied	None applied
pageScripts	None applied	None applied
pageTitle	None applied	None applied
siteFooter	_development/blocks/index/navigation - footer	_development/formats - XSLT/navigation/navigation -

		footer
siteHead	__development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	__development/blocks/text/site - scripts	None applied

Filtered News

Region Name	Block	Format
default	__development/blocks/index/current page	__development/formats - XSLT/components/filtered news

Include Snippet

Region Name	Block	Format
default	None applied	None applied
pageContent	None applied	None applied

News Listing

Region Name	Block	Format
bannerBank	None applied	None applied
columnComponents	None applied	None applied
columnSecondary	None applied	None applied
default	None applied	None applied
navigationAncestors	__development/blocks/index/navigation - ancestors	__development/formats - XSLT/navigation/navigation - ancestors

navigationContextual	_development/blocks/index/navigation - contextual	_development/formats - XSLT/navigation/navigation - contextual
navigationContextualMobile	None applied	None applied
navigationMobile	None applied	None applied
navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary
navigationRelated	_development/blocks/index/current page	_development/formats - XSLT/navigation/navigation - related
navigationRelatedMobile	None applied	None applied
navigationTactical	_development/blocks/index/navigation - tactical	_development/formats - XSLT/navigation/navigation - tactical
pageContent	_development/blocks/index/current page	_development/formats - XSLT/components/news listing
pageHead	None applied	None applied
pageInlinelImage	None applied	None applied
pageScripts	None applied	None applied
pageTitle	None applied	None applied
siteFooter	_development/blocks/index/navigation - footer	_development/formats - XSLT/navigation/navigation - footer
siteHead	_development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	_development/blocks/text/site - scripts	None applied

SPIF Bank – Multi-purpose

Region Name	Block	Format
bannerBank	None applied	None applied
columnComponents	None applied	None applied
columnSecondary	None applied	None applied
default	None applied	None applied
navigationAncestors	_development/blocks/index/navigation - ancestors	_development/formats - XSLT/navigation/navigation - ancestors
navigationContextual	_development/blocks/index/navigation - contextual	_development/formats - XSLT/navigation/navigation - contextual
navigationContextualMobile	None applied	None applied
navigationMobile	None applied	None applied
navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary
navigationRelated	_development/blocks/index/current page	_development/formats - XSLT/navigation/navigation - related
navigationRelatedMobile	None applied	None applied
navigationTactical	_development/blocks/index/navigation - tactical	_development/formats - XSLT/navigation/navigation - tactical
pageContent	_development/blocks/index/current page	_development/formats - XSLT/components/spif bank - multi-purpose
pageHead	None applied	None applied
pageInlinelImage	None applied	None applied

pageScripts	None applied	None applied
pageTitle	None applied	None applied
siteFooter	__development/blocks/index/navigation - footer	__development/formats - XSLT/navigation/navigation - footer
siteHead	__development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	__development/blocks/text/site - scripts	None applied

SPIF Bank – RSS Feed

Region Name	Block	Format
bannerBank	None applied	None applied
columnComponents	None applied	None applied
columnSecondary	None applied	None applied
default	None applied	None applied
navigationAncestors	__development/blocks/index/navigation - ancestors	__development/formats - XSLT/navigation/navigation - ancestors
navigationContextual	__development/blocks/index/navigation - contextual	__development/formats - XSLT/navigation/navigation - contextual
navigationContextualMobile	None applied	None applied
navigationMobile	None applied	None applied
navigationPrimary	__development/blocks/index/navigation - primary	__development/formats - XSLT/navigation/navigation - primary
navigationRelated	__development/blocks/index/current	__development/formats - XSLT/navigation/navigation -

	page	related
navigationRelatedMobile	None applied	None applied
navigationTactical	_development/blocks/index/navigation - tactical	_development/formats - XSLT/navigation/navigation - tactical
pageContent	_development/blocks/index/current page	_development/formats - XSLT/components/spif bank - rss feed
pageHead	None applied	None applied
pageInlinelImage	None applied	None applied
pageScripts	None applied	None applied
pageTitle	None applied	None applied
siteFooter	_development/blocks/index/navigation - footer	_development/formats - XSLT/navigation/navigation - footer
siteHead	_development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	_development/blocks/text/site - scripts	None applied

SPIF Bank – Slideshow

Region Name	Block	Format
bannerBank	None applied	None applied
columnComponents	None applied	None applied
columnSecondary	None applied	None applied
default	None applied	None applied
navigationAncestors	_development/blocks/index/navigation	_development/formats - XSLT/navigation/navigation -

	- ancestors	ancestors
navigationContextual	__development/blocks/index/navigation - contextual	__development/formats - XSLT/navigation/navigation - contextual
navigationContextualMobile	None applied	None applied
navigationMobile	None applied	None applied
navigationPrimary	__development/blocks/index/navigation - primary	__development/formats - XSLT/navigation/navigation - primary
navigationRelated	__development/blocks/index/current page	__development/formats - XSLT/navigation/navigation - related
navigationRelatedMobile	None applied	None applied
navigationTactical	__development/blocks/index/navigation - tactical	__development/formats - XSLT/navigation/navigation - tactical
pageContent	__development/blocks/index/current page	__development/formats - XSLT/components/spif bank - slideshow
pageHead	None applied	None applied
pageInlinelImage	None applied	None applied
pageScripts	None applied	None applied
pageTitle	None applied	None applied
siteFooter	__development/blocks/index/navigation - footer	__development/formats - XSLT/navigation/navigation - footer
siteHead	__development/blocks/text/site - head	None applied
siteLogo	None applied	None applied

siteScripts	_development/blocks/text/site - scripts	None applied
-------------	---	--------------

SPIF Bank – Standard

Region Name	Block	Format
bannerBank	None applied	None applied
columnComponents	None applied	None applied
columnSecondary	None applied	None applied
default	None applied	None applied
navigationAncestors	_development/blocks/index/navigation - ancestors	_development/formats - XSLT/navigation/navigation - ancestors
navigationContextual	_development/blocks/index/navigation - contextual	_development/formats - XSLT/navigation/navigation - contextual
navigationContextualMobile	None applied	None applied
navigationMobile	None applied	None applied
navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary
navigationRelated	_development/blocks/index/current page	_development/formats - XSLT/navigation/navigation - related
navigationRelatedMobile	None applied	None applied
navigationTactical	_development/blocks/index/navigation - tactical	_development/formats - XSLT/navigation/navigation - tactical
pageContent	_development/blocks/index/current page	_development/formats - XSLT/components/spif bank -

		standard
pageHead	None applied	None applied
pageInlinelImage	None applied	None applied
pageScripts	None applied	None applied
pageTitle	None applied	None applied
siteFooter	_development/blocks/index/navigation - footer	_development/formats - XSLT/navigation/navigation - footer
siteHead	_development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	_development/blocks/text/site - scripts	None applied

Page Types

Centers Home v1

Region Name	Block	Format
default	None applied	None applied
navigationMobileCenters	_development/blocks/text/site - navigation mobile centers	None applied
navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary - centers
navigationTacticalCenters	None applied	None applied
pageColumns	_development/blocks/index/current page	_development/formats - XSLT/references/centers column components - reference
pageHead	None applied	None applied

pageLayout	_development/blocks/index/current page	_development/formats - XSLT/page content/page layout - centers
pageScripts	None applied	None applied
pageTitleCenters	_development/blocks/index/current page	_development/formats - XSLT/page content/page title - centers
siteAlert	_development/blocks/index/current page	_development/formats - XSLT/references/alert - reference
siteFeature	_development/blocks/index/current page	_development/formats - XSLT/references/centers feature - reference
siteFooter	_development/blocks/index/navigation - footer	_development/formats - XSLT/navigation/navigation - footer
siteHead	_development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	_development/blocks/text/site - scripts	None applied
siteSearch	None applied	None applied

Centers Home v2

Region Name	Block	Format
bannerBank	_development/blocks/index/current page	_development/formats - XSLT/references/banner bank - reference
columnComponents	_development/blocks/index/current page	_development/formats - XSLT/references/secondary column components - reference

default	None applied	None applied
navigationMobileCenters	_development/blocks/text/site - navigation mobile centers	None applied
navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary - centers
navigationTacticalCenters	None applied	None applied
pageColumns	_development/blocks/index/current page	_development/formats - XSLT/references/centers column components - blocks
pageHead	None applied	None applied
pageLayout	_development/blocks/index/current page	_development/formats - XSLT/page content/page layout - centers
pageScripts	None applied	None applied
pageTitle	_development/blocks/index/current page	_development/formats - XSLT/page content/page title
pageTitleCenters	_development/blocks/index/current page	_development/formats - XSLT/page content/page title - centers
siteAlert	_development/blocks/index/current page	_development/formats - XSLT/references/alert - reference
siteFooter	_development/blocks/index/navigation - footer	_development/formats - XSLT/navigation/navigation - footer
siteHead	_development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	_development/blocks/text/site - scripts	None applied

siteSearch	None applied	None applied
------------	--------------	--------------

Centers Landing

Region Name	Block	Format
columnComponents	_development/blocks/index/current page	_development/formats - XSLT/references/secondary column components - reference
default	None applied	None applied
navigationAncestors	_development/blocks/index/navigation - ancestors	_development/formats - XSLT/navigation/navigation - ancestors - centers
navigationContextual	_development/blocks/index/navigation - contextual	_development/formats - XSLT/navigation/navigation - contextual
navigationContextualMobile	_development/blocks/index/navigation - contextual	_development/formats - XSLT/navigation/navigation - contextual mobile
navigationMobileCenters	_development/blocks/text/site - navigation mobile centers	None applied
navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary - centers
navigationRelated	_development/blocks/index/current page	_development/formats - XSLT/navigation/navigation - related
navigationRelatedMobile	_development/blocks/index/current page	_development/formats - XSLT/navigation/navigation - related mobile
navigationTacticalCenters	None applied	None applied

pageContent	__development/blocks/index/current page	__development/formats - XSLT/page content/page content
pageHead	None applied	None applied
pageInlinelImage	__development/blocks/index/current page	__development/formats - XSLT/page content/inline intruder
pageLayout	__development/blocks/index/current page	__development/formats - XSLT/page content/page layout - centers
pageScripts	None applied	None applied
pageTitle	__development/blocks/index/current page	__development/formats - XSLT/page content/page title
pageTitleCenters	__development/blocks/index/current page	__development/formats - XSLT/page content/page title - centers
siteAlert	__development/blocks/index/current page	__development/formats - XSLT/references/alert - reference
siteFooter	__development/blocks/index/navigation - footer	__development/formats - XSLT/navigation/navigation - footer
siteHead	__development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	__development/blocks/text/site - scripts	None applied
siteSearch	None applied	None applied

Columns

Region Name	Block	Format
-------------	-------	--------

columnSecondary	None applied	None applied
default	None applied	None applied
navigationAncestors	_development/blocks/index/navigation - ancestors	_development/formats - XSLT/navigation/navigation - ancestors
navigationMobile	_development/blocks/text/site - navigation mobile	None applied
navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary
navigationTactical	_development/blocks/index/navigation - tactical	_development/formats - XSLT/navigation/navigation - tactical
pageContent	_development/blocks/index/current page	_development/formats - XSLT/page content/columns content
pageHead	None applied	None applied
pageScripts	None applied	None applied
siteAlert	_development/blocks/index/current page	_development/formats - XSLT/references/alert - reference
siteFooter	_development/blocks/index/navigation - footer	_development/formats - XSLT/navigation/navigation - footer
siteHead	_development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	_development/blocks/text/site - scripts	None applied

Gateway

Region Name	Block	Format
columnContent	_development/blocks/index/current page	_development/formats - XSLT/page content/gateway column - special

default	None applied	None applied
featureComponent	_development/blocks/index/current page	_development/formats - XSLT/references/gateway feature column components - reference
featureTabs	_development/blocks/index/current page	_development/formats - XSLT/components/gateway feature
navigationAncestors	_development/blocks/index/navigation - ancestors	_development/formats - XSLT/navigation/navigation - ancestors
navigationMobile	_development/blocks/text/site - navigation mobile	None applied
navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary
navigationTactical	_development/blocks/index/navigation - tactical	_development/formats - XSLT/navigation/navigation - tactical
pageContent	_development/blocks/index/current page	_development/formats - XSLT/page content/gateway columns
pageHead	None applied	None applied
pageScripts	None applied	None applied
siteAlert	_development/blocks/index/current page	_development/formats - XSLT/references/alert - reference
siteFooter	_development/blocks/index/navigation - footer	_development/formats - XSLT/navigation/navigation - footer
siteHead	_development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	_development/blocks/text/site - scripts	None applied

Home Page

Region Name	Block	Format
columnComponents	_development/blocks/index/current page	_development/formats - XSLT/references/home tertiary column components - reference
columnSecondary	None applied	None applied
default	None applied	None applied
eventsListing	_development/blocks/index/current page	_development/formats - XSLT/references/home events - reference
navigationMobile	_development/blocks/text/site - navigation mobile	None applied
navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary
navigationRelated	_development/blocks/index/current page	_development/formats - XSLT/navigation/navigation - related home
navigationTactical	_development/blocks/index/navigation - tactical	_development/formats - XSLT/navigation/navigation - tactical
newsListing	_development/blocks/index/current page	_development/formats - XSLT/components/news listing - home
pageHead	None applied	None applied
pageScripts	None applied	None applied
siteAlert	_development/blocks/index/current page	_development/formats - XSLT/references/alert - reference
siteFeature	_development/blocks/index/current page	_development/formats - XSLT/references/home feature - reference

siteFooter	_development/blocks/index/navigation - footer	_development/formats - XSLT/navigation/navigation - footer
siteHead	_development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	_development/blocks/text/site - scripts	None applied
twitterFeed	_development/blocks/index/current page	_development/formats - XSLT/components/twitter feed

News Article

Region Name	Block	Format
columnComponents	_development/blocks/index/current page	_development/formats - XSLT/references/secondary column components - reference
columnSecondary	None applied	None applied
columnTertiary	_development/blocks/index/current page	_development/formats - XSLT/references/tertiary column components - reference
default	None applied	None applied
navigationAncestors	_development/blocks/index/navigation - ancestors	_development/formats - XSLT/navigation/navigation - ancestors
navigationContextual	_development/blocks/index/navigation - contextual news	_development/formats - XSLT/navigation/navigation - contextual news
navigationContextualMobile	_development/blocks/index/navigation - contextual	_development/formats - XSLT/navigation/navigation - contextual mobile

navigationMobile	_development/blocks/text/site - navigation mobile	None applied
navigationNewsListing	_development/blocks/index/navigation - news listing	_development/formats - XSLT/listings/news listing column
navigationPrimary	_development/blocks/index/navigation - primary	_development/formats - XSLT/navigation/navigation - primary
navigationRelated	_development/blocks/index/current page	_development/formats - XSLT/navigation/navigation - related
navigationRelatedMobile	_development/blocks/index/current page	_development/formats - XSLT/navigation/navigation - related mobile
navigationTactical	_development/blocks/index/navigation - tactical	_development/formats - XSLT/navigation/navigation - tactical
pageContent	_development/blocks/index/current page	_development/formats - XSLT/page content/article content
pageHead	None applied	None applied
pageScripts	None applied	None applied
sharing	_development/blocks/xhtml/sharing - news	None applied
siteAlert	_development/blocks/index/current page	_development/formats - XSLT/references/alert - reference
siteFooter	_development/blocks/index/navigation - footer	_development/formats - XSLT/navigation/navigation - footer
siteHead	_development/blocks/text/site - head	None applied

siteLogo	None applied	None applied
siteScripts	__development/blocks/text/site - scripts	None applied

News Listing

Region Name	Block	Format
bodyComponents	__development/blocks/index/current page	__development/formats - XSLT/references/body components - reference
columnComponents	__development/blocks/index/current page	__development/formats - XSLT/references/secondary column components - reference
columnComponentsTertiary	__development/blocks/index/current page	__development/formats - XSLT/references/tertiary column components - reference
columnSecondary	None applied	None applied
default	None applied	None applied
navigationAncestors	__development/blocks/index/navigation - ancestors	__development/formats - XSLT/navigation/navigation - ancestors
navigationContextual	__development/blocks/index/navigation - contextual	__development/formats - XSLT/navigation/navigation - contextual
navigationContextualMobile	__development/blocks/index/navigation - contextual	__development/formats - XSLT/navigation/navigation - contextual mobile
navigationMobile	__development/blocks/text/site - navigation mobile	None applied
navigationPrimary	__development/blocks/index/navigation	__development/formats - XSLT/navigation/navigation -

	- primary	primary
navigationRelated	__development/blocks/index/current page	__development/formats - XSLT/navigation/navigation - related
navigationRelatedMobile	__development/blocks/index/current page	__development/formats - XSLT/navigation/navigation - related mobile
navigationTactical	__development/blocks/index/navigation - tactical	__development/formats - XSLT/navigation/navigation - tactical
pageContent	__development/blocks/index/current page	__development/formats - XSLT/page content/page content
pageHead	None applied	None applied
pageScripts	None applied	None applied
pageTitle	__development/blocks/index/current page	__development/formats - XSLT/page content/page title
siteAlert	__development/blocks/index/current page	__development/formats - XSLT/references/alert - reference
siteFeature	None applied	None applied
siteFooter	__development/blocks/index/navigation - footer	__development/formats - XSLT/navigation/navigation - footer
siteHead	__development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	__development/blocks/text/site - scripts	None applied

Universal

Region Name	Block	Format
bannerBank	__development/blocks/index/current page	__development/formats - XSLT/references/banner bank - reference
columnComponents	__development/blocks/index/current page	__development/formats - XSLT/references/secondary column components - reference
columnSecondary	None applied	None applied
default	None applied	None applied
navigationAncestors	__development/blocks/index/navigation - ancestors	__development/formats - XSLT/navigation/navigation - ancestors
navigationContextual	__development/blocks/index/navigation - contextual	__development/formats - XSLT/navigation/navigation - contextual
navigationContextualMobile	__development/blocks/index/navigation - contextual	__development/formats - XSLT/navigation/navigation - contextual mobile
navigationMobile	__development/blocks/text/site - navigation mobile	None applied
navigationPrimary	__development/blocks/index/navigation - primary	__development/formats - XSLT/navigation/navigation - primary
navigationRelated	__development/blocks/index/current page	__development/formats - XSLT/navigation/navigation - related
navigationRelatedMobile	__development/blocks/index/current page	__development/formats - XSLT/navigation/navigation - related mobile

navigationTactical	development/blocks/index/navigation - tactical	development/formats - XSLT/navigation/navigation - tactical
pageComponent	None applied	None applied
pageContent	development/blocks/index/current page	development/formats - XSLT/page content/page content
pageHead	None applied	None applied
pageInlinelImage	development/blocks/index/current page	development/formats - XSLT/page content/inline intruder - article
pageScripts	None applied	None applied
pageTitle	development/blocks/index/current page	development/formats - XSLT/page content/page title
siteAlert	development/blocks/index/current page	development/formats - XSLT/references/alert - reference
siteFooter	development/blocks/index/navigation - footer	development/formats - XSLT/navigation/navigation - footer
siteHead	development/blocks/text/site - head	None applied
siteLogo	None applied	None applied
siteScripts	development/blocks/text/site - scripts	None applied

Global

Include

Region Name	Block	Format
default	None applied	None applied

XML Support

XML - Dev View

Region Name	Block	Format
DEFAULT	None applied	None applied

Data Definitions

Format: Friendly Name | Identifier | Type

Components

Banner Bank

- Banner | banner | group
 - Banner Image | bannerImage | asset
 - Banner Title/Alt Text | bannerTitle | text

Events Listing

- Events Listing | eventsListing | group
 - RSS – Internal Link | relatedLinkInternal | page
 - RSS – External Link | relatedLinkExternal | text
 - Maximum Items | maxItems | text (dropdown)
 - Footer Link Text | footerLinkText | text
 - Footer Link – Internal | footerLinkInternal | page
 - Footer Link – External | footerLinkExternal | text

Feature

- Feature | feature | group
 - Feature Slide | featureSlide | group
 - Image | featureImage | asset (file)
 - Image Caption | featureImageCaption | text
 - Tagline | featureTagline | text
 - Teaser | featureTeaser | text (wysiwyg)
 - Related Links | relatedLinks | group
 - Related Links Header | Related Links Header | text
 - Related Link – Individual | relatedLink | group
 - Select Internal Link | relatedLinkInternal | asset (page)
 - External Link Text | relatedLinkText | text
 - External Link URL | relatedLinkExternal | text
 - YouTube ID | youTubeID | text
 - youTubeCaption | youTubeCaption | text

Filtered News

- Categories | categories | text (dropdown)
- News Block | newsBlock | asset (block)

News Listing

- News Listing | newsListing | group
 - News Listing Block | newsListingBlock | asset (block)

SPIF Bank – Multi-purpose

- SPIF – Multi-Purpose | SPIFMultiPurpose | group
 - Content | SPIFTeaser | text (wysiwyg)

SPIF Bank – RSS Feed

- SPIF – RSS Feed | SPIFRSSFeed | group
 - Block Title | SPIFBlockTitle | text (wysiwyg)
 - Select Internal Link – RSS | relatedLinkInternal | asset (page)
 - External Link URL – RSS | relatedLinkExternal | text
 - Maximum Items | maxItems | text (dropdown)

SPIF Bank – Slideshow

- Block Title | SPIFBlockTitle | text
- SPIF – Slideshow | SPIFSlideshow | group
 - Image | SPIFImage | asset (file)
 - Caption | SPIFCaption | text

SPIF Bank – Standard

- Block Title | SPIFBlockTitle | text (wysiwyg)
- SPIF – Standard | SPIFStandard | group
 - Title | SPIFTitle | text
 - Title Link – Internal | SPIFLinkInternal | asset (page)
 - Title Link – External | SPIFLinkExternal | text
 - Sub Title | SPIFSubTitle | text
 - Teaser | SPIFTeaser | text (wysiwyg)
 - Image | SPIFImage | asset (file)
 - YouTube ID | youtubeID | text

Global

Alert

- Show Alert? | showAlert | text (checkbox)
- Alert Icon | alertIcon | asset (file)
- Alert Name | alertName | text
- Alert Content | alertContent | text (wysiwyg)
- More Information Link | moreInformationLink | group
- Select Internal Link | navigationLinkInternal | asset (page)
- External Link URL | navigationLinkExternal | text

Navigation - Footer

- Main Content | mainContent | group
 - Footer Copy | bodyCopy | text (wysiwyg)
 - Intruder Copy | intruderCopy | text (wysiwyg)

- Navigation Links | navigationLinks | group
 - Navigation Links Header | navigationLinkHeader | text
 - Navigation Link Individual | navigationLink | group
 - Select Internal Link | navigationLinkInternal | asset (page)
 - External Link Text | navigationLinkText | text
 - External Link URL | navigationLinkExternal | text
- Social Media Links | socialMediaLinks | group
 - Social Media Link – Individual | socialMediaLink | group
 - Select Internal Link | socialMediaLinkInternal | asset (page)
 - External Link URL | socialMediaLinkExternal | text
 - Link Icon | socialMediaLinkIcon | asset (file)

Navigation - Primary

- Site Logo | siteLogo | asset (file)
- Site Logo Link | siteLogoLink | asset (page)
- Navigation Links | navigationLinks | group
 - Navigation Link – Individual – navigationLink | group
 - Select Internal Link | navigationLinkInternal | asset (page)
 - External Link Text | navigationLinkText | text
 - External Link URL | navigationLinkExternal | text

Navigation - Tactical

- Navigation Tactical Links | navigationTacticalLinks | group
 - Navigation Tactical Link – Individual | navigationTacticalLink | group
 - Navigation Tactical Link Copy | navigationTacticalLinkCopy | text (wysiwyg)
 - Popup Links | popupLinks | group
 - Popup Link – Individual | popupLink | group
 - Select Internal Link | popupLinkInternal | asset (page)
 - External Link Text | popupLinkText | text
 - External Link URL | popupLinkExternal | text
 - Popup Link Copy | popupLinkCopy | text (wysiwyg)

Page Types

Centers Home v1

- Main Feature | columnPrimary | group
 - Feature Component | bodyComponent | asset (page)
- Column Components | columnSecondary | group
 - Column Component | columnComponent } asset (page)

Centers Home v2

- Main Content | contentMain | group
 - Banner Bank | bannerBank } asset (page)

- Explicit Banner Image | bannerImage | asset (file)
- Content Body Copy | content | text (wysiwyg)
- Related Links | relatedLinks | group
 - Related Links Header | relatedLinksHeader | text
 - Related Link – Individual | relatedLink | group
 - Select Internal Link | relatedLinkInternal | asset (page)
 - External Link Text | relatedLinkText | text
 - External Link URL | relatedLinkExternal | text
- Column Content – Center | columnPrimary | group
 - Body Component | bodyComponent | asset (block)
- Column Content – Right | columnSecondary | group
 - Column Component | columnComponent | asset (page)

Centers Landing

- Main Content | contentMain | group
 - Image Support | imageSupport | group
 - Inline Image | thumbnailImage | asset (file)
 - Content Body Copy | content | text (wysiwyg)
- Related Links | relatedLinks | group
 - Related Links Header | relatedLinksHeader | text
 - Related Link – Individual | relatedLink | group
 - Select Internal Link | relatedLinkInternal | asset (page)
 - External Link Text | relatedLinkText | text
 - External Link URL | relatedLinkExternal | text
- Column Content | columnSecondary | group
 - Column Component | columnComponent | asset (page)

Columns

- Columns | columns | group
 - Column Content | columnContent | group
 - Image | columnImage | asset (file)
 - Title | columnTitle | text
 - Teaser | columnTeaser | text (wysiwyg)
 - Related Links | relatedLinks | group
 - Related Links Header | relatedLinksHeader | text
 - Related Link – Individual | relatedLink | group
 - Select Internal Link | relatedLinkInternal | asset (page)
 - External Link Text | relatedLinkText | text
 - External Link URL | relatedLinkExternal | text
 - Which Column? | columnLocation | text (dropdown)

Gateway

- Feature | feature | group
 - Feature Component | columnComponent | asset (page)
 - Feature Tab | featureTab | group
 - Tab Title | featureTabTitle | text
 - Feature – RSS Feed | featureRSSFeed | group
 - Select Internal Link – RSS | relatedLinkInternal | asset (page)
 - External Link URL – RSS | relatedLinkExternal | text
 - Maximum Items | maxItems | text (dropdown)
 - Tab Footer Link | relatedLink | group
 - Select Internal Link | relatedLinkInternal | asset (page)
 - External Link Text | relatedLinkText | text
 - External Link URL | relatedLinkExternal | text
- Columns | columns | group
 - Column Content | columnContent | group
 - Title | columnTitle | text
 - Related Links | relatedLinks | group
 - Related Links Header | relatedLinksHeader | text
 - Related Link – Individual | relatedLink | group
 - Select Internal Link | relatedLinkInternal | asset (page)
 - External Link Text | relatedLinkText | text
 - External Link URL | relatedLinkExternal | text
 - Which Column? | columnLocation | text (dropdown)

Home Page

- Feature Content – Center | columnPrimary | group
 - Feature Component | bodyComponent | asset (page)
- Main Content | contentMain | group
 - Twitter Feed ID | twitterFeedID | text
- Featured Articles | featuredArticles | group
 - Select Featured Article | featuredArticle | asset (page)
- Column Content – Secondary | columnSecondary | group
 - Column Component | columnComponent | asset (page)
- Related Links | relatedLinks | group
 - Related Links Type | relatedLinksType | text (dropdown)
 - Related Links Header | relatedLinksHeader | text
 - Related Link – Individual | relatedLink | group
 - Select Internal Link | relatedLinkInternal | asset (page)
 - External Link Text | relatedLinkText | text
 - External Link URL | relatedLinkExternal | text
- Column Content – Tertiary | columnTertiary | group

- Column Component | columnComponent | asset (page)

News Article

- Taxonomy | taxonomy | group
 - Categories | categories | text (multi-selector)
- Main Content | contentMain | group
 - Media Title | mediaTitle | text
 - Dateline | dateline | text (calendar)
 - Image Support | imageSupport | group
 - Thumbnail Image | thubnaillImage | asset (file)
 - Large Image | largelImage | asset (file)
 - Image Caption | imageCaption | text (multi-line)
 - Teaser | teaser | text (wysiwyg)
 - Content Body Copy | content | text (wysiwyg)
- Related Links | relatedLinks | group
 - Related Links Header | relatedLinksHeader | text
 - Related Link – Individual | relatedLink | group
 - Select Internal Link | relatedLinkInternal | asset (page)
 - External Link Text | relatedLinkText | text
 - External Link URL | relatedLinkExternal | text
- Column Content – Left | columnSecondary | group
 - Column Component | columnComponent | asset (page)
- Column Content – Right | columnTertiary | group
 - Column Component | columnComponent | asset (page)

News Listing

- Main Content | contentMain | group
 - Banner Bank | bannerBank | asset (page)
 - Explicit Banner Image | bannerImage | asset (file)
 - Content Body Copy | content | text (wysiwyg)
- Related Links | relatedLinks | group
 - Related Links Header | relatedLinksHeader | text
 - Related Link – Individual | relatedLink | group
 - Select Internal Link | relatedLinkInternal | asset (page)
 - External Link Text | relatedLinkText | text
 - External Link URL | relatedLinkExternal | text
- Column Content – Center | columnPrimary | group
 - Body Component | bodyComponent | asset (page)
- Column Content – Left | columnSecondary | group
 - Column Component | columnComponent | asset (page)
- Column Content – Right | columnTertiary | group
 - Column Component | columnComponent | asset (page)

Universal

- Main Content | contentMain | group
 - Banner Bank | bannerBank | asset (page)
 - Explicit Banner Image | bannerImage | asset (file)
 - Inline Intruder | inlineIntruder | group
 - Inline Image | inlineImage | asset (file)
 - Image Link – Internal | inlineImageLinkInternal | asset (page)
 - Image Link – External | inlineImageLinkExternal | text
 - Inline Title | inlineTitle | text
 - Inline Teaser | inlineTeaser | text (wysiwyg)
 - Inline Links | inlineLinks | group
 - Inline Link – Individual | inlineLink | group
 - Select Internal Link | inlineLinkInternal | page
 - External Link Text | inlineLinkText | text
 - External Link URL | inlineLinkExternal | text
 - Content Body Copy | content | text (wysiwyg)
- Related Links | relatedLinks | group
 - Related Links Header | relatedLinksHeader | text
 - Related Link – Individual | relatedLink | group
 - Select Internal Link | relatedLinkInternal | asset (page)
 - Select Internal File – relatedLinkInternalFile | asset (file)
 - External Link Text | relatedLinkText | text
 - External Link URL | relatedLinkExternal | text
- Column Content | columnSecondary | group
 - Column Component | columnComponent | asset (page)

Blocks

Feed

There are no feed blocks currently in use within the site.

Index

Alert

Location: /__development/blocks/index/alert

Purpose: This asset is intended to generate an XML block of content from the “Alert” page. This block is combined with XSLT to write out and file that is included within all pages of the site.

Properties:

- **Index Type:** Folder Index
- **Index Folder:** _includes/alert
- **Depth of Index:** 1
- **Max Rendered Assets:** 1
- **Index Pages:** Yes
- **Index Blocks:** No
- **Index Links:** No
- **Index Files:** No
- **Rendering Behavior:** Render normally, starting at the indexed folder
- **Page XML:** Render page XML inline
- **Block XML:** Do not render block XML inline
- **Regular Content:** Yes
- **System Metadata:** No
- **User Metadata:** No
- **Folder Access Rights:** No
- **User Information:** No
- **Workflow Information:** No
- **Append Calling Page Data:** No
- **Sort Method:** Folder Order
- **Sort Order:** Ascending

Content Review – All Pages

Location: /__development/blocks/index/content review - all pages

Purpose: This asset is intended to general an XML of ALL pages within the site. This XML can then be parsed to generate reports on basic information. Pages using this block should not be published do to the time requirements of creating such a block of information.

Properties:

- **Index Type:** Folder Index
- **Index Folder:** /
- **Depth of Index:** 50
- **Max Rendered Assets:** Unlimited
- **Index Pages:** Yes
- **Index Blocks:** Yes
- **Index Links:** No
- **Index Files:** Yes
- **Rendering Behavior:** Render normally, starting at the indexed folder
- **Page XML:** Render page XML inline
- **Block XML:** Do not render block XML inline
- **Regular Content:** Yes
- **System Metadata:** Yes
- **User Metadata:** Yes
- **Folder Access Rights:** No
- **User Information:** No
- **Workflow Information:** No
- **Append Calling Page Data:** No
- **Sort Method:** Last Modified Date
- **Sort Order:** Descending

Current Page

Location: /__development/blocks/index/current page

Purpose: This asset is intended to generate an XML block of user-generated content. This content is parsed using XSLT in order to render the results to the final page output. As user generated content is used within multiple locations in a single page, this block is often referenced multiple times and bound to many different formats (XSLT).

Properties:

- **Index Type:** Folder Index
- **Index Folder:** None selected
- **Depth of Index:** 0
- **Max Rendered Assets:** Unlimited
- **Index Pages:** Yes
- **Index Blocks:** No
- **Index Links:** No
- **Index Files:** No
- **Rendering Behavior:** Render page XML inline only for current page

- **Page XML:** Render page XML inline only for current page
- **Block XML:** Do not render block XML inline
- **Regular Content:** Yes
- **System Metadata:** Yes
- **User Metadata:** Yes
- **Folder Access Rights:** No
- **User Information:** No
- **Workflow Information:** No
- **Append Calling Page Data:** Yes
- **Sort Method:** Folder Order
- **Sort Order:** Ascending

Navigation – Ancestors

Location: /__development/blocks/index/navigation - ancestors

Purpose: This asset is intended to generate an XML block that contains the ancestor folder structure relative to the current page. This content is parsed using XSLT in order to render the results to the final page output. The final output, in most cases, consists of a “breadcrumb” string located at the top of the main content area.

Properties:

- **Index Type:** Folder Index
- **Index Folder:** None selected
- **Depth of Index:** 0
- **Max Rendered Assets:** Unlimited
- **Index Pages:** Yes
- **Index Blocks:** No
- **Index Links:** No
- **Index Files:** No
- **Rendering Behavior:** Start at the current page and include its folder hierarchy
- **Page XML:** Do not render page XML inline
- **Block XML:** Do not render block XML inline
- **Regular Content:** Yes
- **System Metadata:** Yes
- **User Metadata:** Yes
- **Folder Access Rights:** No
- **User Information:** No
- **Workflow Information:** No
- **Append Calling Page Data:** No
- **Sort Method:** Folder Order

- **Sort Order:** Descending

Navigation – Contextual

Location: /__development/blocks/index/navigation - contextual

Purpose: This asset is intended to generate an XML block that contains the sibling and children folder/page structure relative to the current page. This content is parsed using XSLT in order to render the results to the final page output. The final output, in most cases, consists of a contextual navigation located within the left column.

Properties:

- **Index Type:** Folder Index
- **Index Folder:** None selected
- **Depth of Index:** 2
- **Max Rendered Assets:** Unlimited
- **Index Pages:** Yes
- **Index Blocks:** No
- **Index Links:** Yes
- **Index Files:** Yes
- **Rendering Behavior:** Start at the current page with folder hierarchy, siblings, and also render forward
- **Page XML:** Do not render page XML inline
- **Block XML:** Do not render block XML inline
- **Regular Content:** Yes
- **System Metadata:** Yes
- **User Metadata:** Yes
- **Folder Access Rights:** No
- **User Information:** No
- **Workflow Information:** No
- **Append Calling Page Data:** No
- **Sort Method:** Folder Order
- **Sort Order:** Ascending

Navigation – Contextual News

Location: /__development/blocks/index/navigation - contextual news

Purpose: This asset is intended to generate an XML block that contains the folder/page structure relative to a set starting point rather than the current page. This content is parsed using XSLT in order to render the results to the final page output. The final output, in most cases, consists of a contextual navigation located within the left column. As the contents have a set indexed folder, each page referencing this XML block and the supporting XSLT will display the same left navigation regardless of the location of the calling page.

Properties:

- **Index Type:** Folder Index
- **Index Folder:** news
- **Depth of Index:** 1
- **Max Rendered Assets:** Unlimited
- **Index Pages:** Yes
- **Index Blocks:** No
- **Index Links:** Yes
- **Index Files:** Yes
- **Rendering Behavior:** Render normally, starting at the indexed folder
- **Page XML:** Do not render page XML inline
- **Block XML:** Do not render block XML inline
- **Regular Content:** Yes
- **System Metadata:** Yes
- **User Metadata:** Yes
- **Folder Access Rights:** No
- **User Information:** No
- **Workflow Information:** No
- **Append Calling Page Data:** No
- **Sort Method:** Folder Order
- **Sort Order:** Ascending

Navigation – Footer

Location: /__development/blocks/index/navigation - footer

Purpose: This asset creates an XML block from a page selected within each site. The XML is then rendered into a footer that is included within all pages across that site.

Properties:

- **Index Type:** Folder Index
- **Index Folder:** _includes/navigationFooter
- **Depth of Index:** 1
- **Max Rendered Assets:** 1
- **Index Pages:** Yes
- **Index Blocks:** No
- **Index Links:** No
- **Index Files:** No
- **Rendering Behavior:** Render normally, starting at the indexed folder
- **Page XML:** Render page XML inline
- **Block XML:** Do not render block XML inline

- **Regular Content:** Yes
- **System Metadata:** No
- **User Metadata:** No
- **Folder Access Rights:** No
- **User Information:** No
- **Workflow Information:** No
- **Append Calling Page Data:** No
- **Sort Method:** Folder Order
- **Sort Order:** Ascending

Navigation – News Listing

Location: /__development/blocks/index/navigation - news listing

Purpose: This asset is intended to generate an XML block that contains the page structure relative to a set starting point rather than the current page. This content is parsed using XSLT in order to render the results to the final page output. The final output, in most cases, consists of a listing of news stories. With specialty filtering pages and custom XSLT, the final results are often standardized RSS that is then collected by client side programming allowing single page publishing to affect a large number of pages rather than requiring all referencing pages to be published with each update.

Properties:

- **Index Type:** Folder Index
- **Index Folder:** news/articles
- **Depth of Index:** 3
- **Max Rendered Assets:** Unlimited
- **Index Pages:** Yes
- **Index Blocks:** No
- **Index Links:** Yes
- **Index Files:** Yes
- **Rendering Behavior:** Render normally, starting at the indexed folder
- **Page XML:** Render page XML inline
- **Block XML:** Do not render block XML inline
- **Regular Content:** Yes
- **System Metadata:** Yes
- **User Metadata:** Yes
- **Folder Access Rights:** No
- **User Information:** No
- **Workflow Information:** No
- **Append Calling Page Data:** Yes
- **Sort Method:** Folder Order
- **Sort Order:** Ascending

Navigation – Primary

Location: /__development/blocks/index/navigation - primary

Purpose: This asset creates an XML block from a page selected within each site. The XML is then rendered into primary navigation that is included within all pages across that site.

Properties:

- **Index Type:** Folder Index
- **Index Folder:** _includes/navigationPrimary
- **Depth of Index:** 1
- **Max Rendered Assets:** 1
- **Index Pages:** Yes
- **Index Blocks:** No
- **Index Links:** No
- **Index Files:** No
- **Rendering Behavior:** Render normally, starting at the indexed folder
- **Page XML:** Render page XML inline
- **Block XML:** Do not render block XML inline
- **Regular Content:** Yes
- **System Metadata:** No
- **User Metadata:** No
- **Folder Access Rights:** No
- **User Information:** No
- **Workflow Information:** No
- **Append Calling Page Data:** No
- **Sort Method:** Folder Order
- **Sort Order:** Ascending

Navigation – Tactical

Location: /__development/blocks/index/navigation - tactical

Purpose: This asset creates an XML block from a page selected within each site. The XML is then rendered into tactical navigation that is included within all pages across that site.

Properties:

- **Index Type:** Folder Index
- **Index Folder:** _includes/navigationTactical
- **Depth of Index:** 1
- **Max Rendered Assets:** 1
- **Index Pages:** Yes
- **Index Blocks:** No

- **Index Links:** No
- **Index Files:** No
- **Rendering Behavior:** Render normally, starting at the indexed folder
- **Page XML:** Render page XML inline
- **Block XML:** Do not render block XML inline
- **Regular Content:** Yes
- **System Metadata:** No
- **User Metadata:** No
- **Folder Access Rights:** No
- **User Information:** No
- **Workflow Information:** No
- **Append Calling Page Data:** No
- **Sort Method:** Folder Order
- **Sort Order:** Ascending

Text

Site – Head

Location: /__development/blocks/text/site - head

Purpose: This asset is included within the head section across all standard page templates. This includes references to basic hard-coded meta-information as well as globally utilized css files.

Site – Navigation Mobile

Location: /__development/blocks/text/site - navigation mobile

Purpose: This asset includes a standardized html block that is referenced by JavaScript after the page load process in order to duplicate the contextual navigation in a large and small viewport format.

Site – Navigation Mobile Centers

Location: /__development/blocks/text/site - navigation mobile centers

Purpose: This asset includes a standardized html block on the Centers page types that is referenced by JavaScript after the page load process in order to duplicate the contextual navigation in a large and small viewport format.

Site – Scripts

Location: /__development/blocks/text/site - scripts

Purpose: This asset is included within the head section across all standard page templates. This includes references to any script that might be required by standard components included across multiple page types. These include: date formatting, content sliding, randomized content, rss feed pulls, video banks, etc.

XHTML

Search Results

Location: /__development/blocks/xhtml/search results

Purpose: This asset is included within the content region of the search page. The asset includes the scripting required to interface with the Google Custom Search Engine.

Sharing - News

Location: /__development/blocks/xhtml/sharing - news

Purpose: This asset is included across all News Articles and includes the HTML required to display the “sharing” section found within the right column.

XML

There are no XML blocks currently in use within the site.

Formats (XSLT)

Components

Banner Bank

Location: /__development/formats – XSLT/components/banner bank

Purpose: Loop through a block supplying individual banners. Output a PHP case statement allowing the inclusion of a single random banner each time the page is refreshed.

Content Review

Location: /__development/formats – XSLT/components/content review

Purpose: Create a table that takes the full width of the page. This table will be sortable (client side) and will contain basic information about all pages created within the site (Created by, modified by, etc.).

Events Listing

Location: /__development/formats – XSLT/components/events listing

Purpose: Create an events listing that can be referenced by many templates within the site. This listing is then parsed using the rssfeedEvents client side script.

Events Listing – Shared

Location: /__development/formats – XSLT/components/events listing - shared

Purpose: Helper code for the events listing internal page and the events listing reference code.

Feature

Location: /__development/formats – XSLT/components/feature

Purpose: Creates a feature that includes multiple slides. Client side scripting controls the slide action and is tied to the “orbit” functionality built within the Foundation framework.

Feature – Shared

Location: /__development/formats – XSLT/components/feature – shared

Purpose: Helper code for the feature internal page and the feature reference code.

Filtered News

Location: /__development/formats – XSLT/components/filtered news

Purpose: Creates a valid RSS feed based on a specified index block. This is able to filter base on categories and taxonomy assigned to News Artciles.

Gateway Feature

Location: /__development/formats – XSLT/components/gateway feature

Purpose: Creates a feature that includes multiple slides. Client side scripting controls the slide action and is tied to the “orbit” functionality built within the Foundation framework.

News Listing

Location: /__development/formats – XSLT/components/

Purpose: Creates news listings from the specified block. This includes a column header, RSS link, the listing, and a footer link.

News Listing - Home

Location: /__development/formats – XSLT/components/news listing – home

Purpose: Creates news listings from the specified block specifically formatted for the Home Page. This includes a column header, RSS link, the listing, and a footer link.

News Listing – Shared

Location: /__development/formats – XSLT/components/news listing – shared

Purpose: Helper code for the news listing internal page and the news listing reference code. This creates the main block used for the contents of any listing.

Site Feature

Location: /__development/formats – XSLT/components/site feature

Purpose: Creates a feature that includes multiple slides. Client side scripting controls the slide action and is tied to the “orbit” functionality built within the Foundation framework.

SPIF Bank – Multi-Purpose

Location: /__development/formats – XSLT/components/spif bank – multi-purpose

Purpose: Creates the structure for the Multi-purpose SPIF Bank.

SPIF Bank – Multi-Purpose – Shared

Location: /__development/formats – XSLT/components/spif bank – multi-purpose – shared

Purpose: Helper code for the multi-purpose SPIF internal page and the multi-purpose SPIF reference code. This creates the main block used for the contents of any SPIF.

SPIF Bank – RSS Feed

Location: /__development/formats – XSLT/components/spif bank – rss feed

Purpose: Creates a SPIF that is able to reference RSS feeds to generate inline content.

SPIF Bank – RSS Feed – Shared

Location: /__development/formats – XSLT/components/spif bank – rss feed shared

Purpose: Helper code for the RSS SPIF internal page and the RSS SPIF reference code. This creates the main block used for the contents of any SPIF.

SPIF Bank – Slideshow

Location: /__development/formats – XSLT/components/spif bank – slideshow

Purpose: Creates a slideshow that contains multiple images and supporting text in a SPIF format.

SPIF Bank – Slideshow – Shared

Location: /__development/formats – XSLT/components/spif bank – slideshow – shared

Purpose: Helper code for the Slideshow SPIF internal page and the Slideshow SPIF reference code. This creates the main block used for the contents of any SPIF.

SPIF Bank – Standard

Location: /__development/formats – XSLT/components/spif bank – standard

Purpose: Creates a SPIF that contains limited, pre-formated fields.

SPIF Bank – Standard – Shared

Location: /__development/formats – XSLT/components/spif bank – standard – shared

Purpose: Helper code for the Standard SPIF internal page and the Standard SPIF reference code. This creates the main block used for the contents of any SPIF.

Twitter Feed

Location: /__development/formats – XSLT/components/twitter feed

Purpose: Generates an RSS feed that scrolls using the Orbit functionality built within the Foundation framework. This is currently in use on the Home Page.

Included Helpers

Code Variables

Location: /__development/formats – XSLT/included helpers/code variable

Purpose: Contains variables and their values that are referenced by numerous XSLT sheets within the system. Any new global variables should be located within this file.

Date Format

Location: /__development/formats – XSLT/included helpers/date format

Purpose: Scripting that allows the CMS date format to be converted to other format types.

Related Links

Location: /__development/formats – XSLT/included helpers/related links

Purpose: Helper code that is referenced by numerous XSLT sheets within the system. This code can render standard Related Links XML blocks into basic HTML code.

Replace Strings

Location: /__development/formats – XSLT/included helpers/replace strings

Purpose: A helper file that allows values to be passed through a template that can perform find and replace functions. This is very useful if XML blocks will be placed into scripting that may not accept particular characters.

Navigation

Navigation – Ancestors

Location: /__development/formats – XSLT/navigation/navigation – ancestors

Purpose: Loops through indexed XML in order to generate the breadcrumb string found across the top of many pages within the site.

Navigation – Ancestors - Centers

Location: /__development/formats – XSLT/navigation/navigation – ancestors – centers

Purpose: Loops through indexed XML in order to generate the breadcrumb string found across the top of the Centers page types.

Navigation – Contextual

Location: /__development/formats – XSLT/navigation/navigation – contextual

Purpose: Loops through indexed XML in order to generate the left hand navigation found within the left column of many pages within the site.

Navigation – Contextual Mobile

Location: /__development/formats – XSLT/navigation/navigation – contextual mobile

Purpose: Loops through indexed XML in order to generate the collapsing navigation found within the small viewport view of many pages within the site.

Navigation – Contextual News

Location: /__development/formats – XSLT/navigation/navigation – contextual news

Purpose: Loops through index XML (with a defined starting point) in order to generate the left hand navigation found within the left navigation of news page types. This generates the same navigation for all pages it is included within.

Navigation – Footer

Location: /__development/formats – XSLT/navigation/navigation – footer

Purpose: Loops through index XML (with a defined starting point) in order to generate the navigation found within the footer for each individual site. This generates the same navigation for all pages it is included within.

Navigation – Footer Centers

Location: /__development/formats – XSLT/navigation/navigation – footer centers

Purpose: Loops through index XML (with a defined starting point) in order to generate the navigation found within the footer for each individual centers site. This generates the same navigation for all pages it is included within.

Navigation – Primary

Location: /__development/formats – XSLT/navigation/navigation – primary

Purpose: Loops through index XML (with a defined starting point) in order to generate the navigation found within the primary header for each individual site. This generates the same navigation for all pages it is included within.

Navigation – Primary Centers

Location: /__development/formats – XSLT/navigation/navigation – primary centers

Purpose: Loops through index XML (with a defined starting point) in order to generate the navigation found within the primary header for each individual centers site. This generates the same navigation for all pages it is included within.

Navigation – Related

Location: /__development/formats – XSLT/navigation/navigation – related

Purpose: This format uses the “Related Links” helper XSLT in order to generate a set of related links.

Navigation – Related Home

Location: /__development/formats – XSLT/navigation/navigation – related home

Purpose: This format uses the “Related Links” helper XSLT in order to generate a set of related links. The output is specifically designed for inclusion on the Home Page.

Navigation – Related Mobile

Location: /__development/formats – XSLT/navigation/navigation – related mobile

Purpose: This format uses the “Related Links” helper XSLT in order to generate a set of related links coded for the small viewport view.

Navigation – Tactical

Location: /__development/formats – XSLT/navigation/navigation – tactical

Purpose: Loops through index XML (with a defined starting point) in order to generate the navigation found within the header for each individual site. This generates the same navigation for all pages it is included within.

News Listing Column

Location: /__development/formats – XSLT/navigation/news listing column

Purpose: Loops through index XML (with a defined starting point) in order to generate the listing of recent articles found on all News Articles within the site.

Page Content

Article Content

Location: /__development/formats – XSLT/page content/article content

Purpose: Uses the “Current Page” index block to generate the main article content on News Article page types.

Columns Content

Location: /__development/formats – XSLT/page content/columns content

Purpose: Uses the “Current Page” index block to generate the column content on numerous page types. This piece, in general, allows the inclusion of other pages/blocks within the system.

Gateway Column – Special

Location: /__development/formats – XSLT/page content/gateway column – special

Purpose: Uses the “Current Page” index block to generate the right column content on the Gateway page type.

Gateway Columns

Location: /__development/formats – XSLT/page content/gateway columns

Purpose: Uses the “Current Page” index block to generate the left columns content on the Gateway page type.

Inline Intruder

Location: /__development/formats – XSLT/page content/inline intruder

Purpose: Uses the “Current Page” index block to generate the intruder content on the Universal page type.

Inline Intruder - Article

Location: /__development/formats – XSLT/page content/inline intruder - article

Purpose: Uses the “Current Page” index block to generate the intruder content on the News Article page type.

Page Content

Location: /__development/formats – XSLT/page content/page content

Purpose: Uses the “Current Page” index block to generate the main content on Universal, and other, page types.

Page Layout – Centers

Location: /__development/formats – XSLT/page content/page layout – centers

Purpose: Uses the “Current Page” index block to add additional CSS references to adjust the layout of the Centers page type.

Page Title

Location: /__development/formats – XSLT/page content/page title

Purpose: Uses the “Current Page” index block to generate the title area on numerous page types.

Page Title – Centers

Location: /__development/formats – XSLT/page content/page title – centers

Purpose: Uses the “Current Page” index block to generate the title area on the Centers page types.

References

Purpose: The “Reference” XSLT files each generate code that creates code supporting a PHP include of a referenced page or component.

Alert – Reference

Location: /__development/formats – XSLT/references/alert – reference

Banner Bank - Reference

Location: /__development/formats – XSLT/references/banner bank – reference

Body Components – Reference

Location: /__development/formats – XSLT/references/body components – reference

Centers Column Components – Blocks

Location: /__development/formats – XSLT/references/centers column component – blocks

Center Column Components – Reference

Location: /__development/formats – XSLT/references/center column component – reference

Centers Feature – Reference

Location: /__development/formats – XSLT/references/centers feature – reference

Gateway Feature Column Components – Reference

Location: /__development/formats – XSLT/references/gateway feature column components – reference

Home Events – Reference

Location: /__development/formats – XSLT/references/home events – reference

Home Feature – Reference

Location: /__development/formats – XSLT/references/home feature – reference

Home Tertiary Column Components – Reference

Location: /__development/formats – XSLT/references/home tertiary column components – reference

Navigation Mobile – Reference

Location: /__development/formats – XSLT/references/navigation mobile – reference

Navigation Primary – Reference

Location: /__development/formats – XSLT/references/navigation primary – reference

Secondary Column Components – Reference

Location: /__development/formats – XSLT/references/secondary column components – reference

Small Feature – Reference

Location: /__development/formats – XSLT/references/small feature – reference

Tertiary Column Components

Location: /__development/formats – XSLT/references/tertiary column components

Purpose: A more complex reference XSLT that allows numerous internal views, each tying to a Shared XSLT, and a single “External” template that generates code that creates code supporting a PHP include of a referenced page or component.

XML Support

XML – Dev View

Location: /__development/formats – XSLT/xml support/

Purpose: Creates a secondary view of any page, usually defined as a second configuration, that reads through a single, specified XML block that is rendered in a view that is helpful for determining XPath locations.

CSS

App

Location: /_site_support/css/app.css

Purpose: CSS to support a number of applications found within the Foundation framework.

Centers Flipped

Location: /_site_support/css/centersFlipped.css

Purpose: Included dynamically into Centers page types that have the standard layout overridden with a “Flipped” view.

Centers Wide

Location: /_site_support/css/centersWide.css

Purpose: Included dynamically into Centers page types that have the standard layout overridden with a “Wide” view.

Colobox

Location: /_site_support/css/colorbox.css

Purpose: Creates the styles required to show the Slideshow overlay.

Foundation

Location: /_site_support/css/foundation.css

Purpose: The basic foundation for setting up the responsive design grid.

Foundation Light

Location: /_site_support/css/foundationLight.css

Purpose: Additional CSS that supports the base Foundation.css styles.

Global

Location: /_site_support/css/global.css

Purpose: The main site styles that are coded for each specific page, component and content type.

IE

Location: /_site_support/css/IE.css

Purpose: Contains any styles for overriding the quirks found within older versions of Internet Explorer.

Thickbox

Location: /_site_support/css/thickbox.css

Purpose: Creates the styles required to show the Slideshow overlay. This is currently deprecated as Colorbox was found to perform better within a responsive design framework.

Scripts

App

Location: /_site_support/scripts/app.js

Purpose: Support for the Foundation framework. This includes tabs, dropdowns, etc.

Date

Location: /_site_support/scripts/date.js

Purpose: Support for date conversion by passing a parameter through the date function.

Foundation

Location: /_site_support/scripts/foundation.js

Purpose: Support for the Foundation Framework. This helps increase the responsive functionality of the grid for viewport sizes.

Global

Location: /_site_support/scripts/global.js

Purpose: Custom functions for moving contents, copying contents, resizing columns, and initiating onload calls to Foundation functions.

Hover Intent

Location: /_site_support/scripts/hoverIntent.js

Purpose: Delays calls to onMouseOver functions in order to determine the true intent of a user during pauses in moving a mouse. This is useful for delaying a dropdown if the mouse simply swings over a section.

Colorbox

Location: /_site_support/scripts/jquery.colorbox.js

Purpose: Support for slideshow overlays.

Dropdown

Location: /_site_support/scripts/jquery.dropdown.js

Purpose: Enables dropdown/popup support. This includes sensitivity functions similar to Hover Intent.

jQuery

Location: /_site_support/scripts/jquery.min.js

Purpose: The library that supports many of the other scripts.

RSS

Location: /_site_support/scripts/jquery.rss.js

Purpose: Creates HTML from RSS feeds for inclusion within a page.

RSS Events

Location: /_site_support/scripts/jquery.rssEvents.js

Purpose: Creates HTML from RSS feeds for inclusion within a page.

Simple Weather

Location: /_site_support/scripts/jquery.simpleWeather.js

Purpose: Gathers weather information from the public Yahoo weather feed via their API.

Table Sorter

Location: /_site_support/scripts/jquery.tablesorter.min.js

Purpose: Allows client site sorting of tables based on jQuery selectors.

Tools

Location: /_site_support/scripts/jquery.tools.js

Purpose: A jQuery based user interface library. This supports history, mousewheel, tooltips, scrolling, overlays, validation, etc.

Tweet

Location: /_site_support/scripts/jquery.tweet.js

Purpose: Converts user specified parameters into an HTML Twitter feed.

Mobile Accordion

Location: /_site_support/scripts/mobileAccordion.js

Purpose: Collapses and expands selected elements based on selector classes.

Modernizr

Location: /_site_support/scripts/modernizer.foundation.js

Purpose: A feature detection library to determine if HTML5 and CSS3 are available within a browser.

Thickbox

Location: /_site_support/scripts/thickbox.js

Purpose: Support for slideshow overlays.